

CHEFTOP MIND.Maps™ PLUS





Index

CHEFTOP MIND.Maps™ PLUS combi-steamers	page	4
Cooking Assistance	page	8
Technologies	page	12
PLUS capacitive control panel	page	24
CHEETOD MIND Marra PRINC COUNTEDTOD		28
CHEFTOP MIND.Maps™ PLUS COUNTERTOP	page	20
CHEFTOP MIND.Maps™ PLUS COMPACT	page	40
CHEFTOP MIND.Maps™ PLUS BIG	page	46
Cooking Essentials Special Trays	page	54
Care and Maintenance	page	62
Techical data	page	66
Techical Assistance	page	76
Unox in the world	page	78



(WNOX)





CHEFTOP MIND.Maps™ PLUS BIG

CHEFTOP MIND.Maps™ PLUS COUNTERTOP

CHEFTOP MIND.Maps™PLUS
COMPACT

CHEFTOP MIND.Maps™ PLUS

Intelligent combi ovens

CHEFTOP MIND.Maps™ PLUS is the intelligent combi oven that grills, fries, roasts, browns, smokes, cooks with steam and much more. Automatic cooking cycles and smart functions, including Artificial Intelligence, make CHEFTOP MIND.Maps™ PLUS the ideal partner for your kitchen, providing concrete support to your work. CHEFTOPMIND.Maps™ PLUS is designed to meet every need of your business and enable you to improve your kitchen processes.

MIND.Maps™ PLUS combi ovens are available in three versions, to meet the specific needs of each business:

COUNTERTOP 3, 5, 7 and 10 GN 1/1 and 6, 10 GN 2/1 for restaurants and deli shops;

COMPACT 5 and 10 GN 1/1 and 5 GN 2/3 for professional kitchens with small spaces and small shops;

BIG 20 GN 1/1 and 20 GN 2/1 trolley units for contract feeders, hotels and banqueting facilities.



Individual Cooking Experience

Try the oven for free. It's on us.



01

Book

Choose when and where to try your next Unox oven. Call our customer service and set up an appointment at your convenience.

Set up an appointment, call us or book it online on **unox.com**



02

Cook with us

In your kitchen, with your ingredients and your recipes: a Unox Chef will make you experience all the benefits of the ovens' technologies.



03

Choose

Being sure of the results you can achieve, take the time you need to make a choice based on solid certainties.



Cooking Assistance

TOP.Training

Discover your oven



Learn, use, improve

Top. Training is the Unox free training service. Our Chefs will show you everything you need to get the best from your new oven, from its basic features to its most advanced technologies.

> Download the Top.Training app from Google Play or App Store

Data Driven Cooking Community

Inspire and be inspired



A world of Recipes for your ovens

Let yourself be inspired by the DDC.App cookbook: download the recipes prepared by the Unox Chefs and by the DDC community users. Participate in the community and share your recipe!

> Download **DDC.App** from Google Play or App Store

CHEF.Line

You call, Unox answers



24/7

The Unox Chef Team is always at your disposal to give you practical advice on programs cooking methods and to suggest you new recipes: from the most traditional to the most innovative ones.

> Call us International +39 **049 86 57 511** Oceania +61 3 9876 0803



Technologies

Intelligent.
Precise.
Connected



14

Unox Intelligent Performance

Improve your performances

Achieving identical results for each load requires control, intelligence and expertise: exactly what CHEFTOP MIND.Maps™ PLUS combi oven is made for.



ADAPTIVE.Cooking™

Perfect results. Every time.


By registering changes in humidity and temperature, CHEFTOP MIND.Maps™ PLUS combi oven automatically adjusts the cooking process to the actual food-load to deliver an identical and perfect result every time.



CLIMALUX™

Total humidity control.

The oven features accurate sensors to measure the actual humidity inside the cooking chamber and automatically activates steam production or evacuation to ensure that actual humidity always matches the set one.





SMART.Preheating

Intelligent preheating.

Combining the analysis of previous cooking processes with the requirements of the next one, the oven automatically sets the best temperature and preheating time to guarantee maximum repeatability of results throughout the day, therefore reducing waiting time.



AUTO.Soft

Gentle cooking function.

When activated, the oven automatically regulates the rise in temperature to make it gentler and guarantee an optimal heat distribution on each pan in the oven. The best for delicate and heat-sensitive foods.



SENSE.Klean

Intelligent cleaning.

By estimating the degree of dirtiness, based on the type of cooking recognised by the oven, it suggests the best automatic cleaning mode according to the actual use of the oven. Maximum hygiene and zero waste of water and detergent.

Single tray - 6 portions

Optimal settings for a half load -30 portions



240 °C

Half load setting used with a single tray

6 mins

0%

or with a full load.



Perfectly grilled

Browned outside Soft inside

Time 5 mins Average temperature 240 °C Humidity 0 %



Too much heating

Burned outside Dry inside

Time 6 min Average temperature 250 °C Humidity 0 %

Full load - 60 portions







Perfectly grilled

Browned outside Soft inside

Time 8 mins Average temperature 240 °C Humidity 0 %



Not grilled

Boiled effect Raw inside

Time 6 min Average temperature 220 °C Humidity 50 %

Without

With

Adaptive.Cooking™

It sets automatically all cooking parameters

to guarantee the same result for every process.

Single tray - 8 chickens



Perfect roasting Crispy skin Juicy meat Minimum weight loss

Humidity 30 %



Full load - 24 chickens







Perfect roasting

Crispy skin Juicy meat Minimum weight loss

Humidity 30 %



CLIMALUX™

Measures the actual humidity in the cooking chamber and produces or extracts the quantity of humidity needed to obtain the set one.



Optimal settings for a half load -16 chickens

38 mins

190°C


(LET) 30%

Half load setting used with a single tray or with a full load.



Boiled effect outside Raw meat Pale colour

Humidity 80 %



Single tray



Perfect browning Soft inside Uniform texture Not burned

Rise time 100 - 190 °C 7 mins

Optimal settings

10 mins 20 mins 100 °C 190 °C

for a half load

100% - 100%

Half load setting used with a single tray or with a full load.

Optimal settings

for a half load

Half load setting used

with a single tray

or with a full load.

PRE 210 °C

18 mins

180 °C



Burned outside Burned edges Uneven baking Less cooked inside

Rise time 100 - 190 °C 1 min




Full load






Perfect browning Soft inside Uniform texture Not burned

Rise time 100 - 190 °C 7 mins



Rise time 100 - 190 °C 3 mins

Single tray



Preheating time 9 mins Temp. oven chamber steel 180 °C


Perfect browning

Golden external colour


Perfect browning Golden external colour


Preheating time 20 sec

Temp. oven chamber steel 180 °C



Full load





Perfect browning Golden external colour

Preheating time 9 mins Temp. oven chamber steel 180 °C

Perfect browning

Golden external colour

Preheating time 20 sec Temp. oven chamber steel

180 °C


Pale browning

Pale external colour

Preheating time 6 mins Temp. oven chamber steel 100 °C


Extreme browning Burned crust

Preheating time 6 mins Temp. oven chamber steel 190 °C



Extreme browning Burned crust

Preheating time 6 mins Temp. oven chamber steel 190 °C




Pale browning Pale external colour











With

With

It manages the rise in temperature and

maintains uniformity in every point of the

Without

tray, in each tray.

Auto.Soft

automatically regulates duration and intensity of preheating: intense when the oven is cold, fast or even skipped when the oven is already hot.

Without



DRY.Maxi™

Humidity gives way to flavour.

Effectively removes humidity from the cooking chamber to give your preparations perfect consistency, colour and crunchiness every time.



STEAM.Maxi™

The power of steam is in your hands.

Generates saturated steam from 35 °C and delivers high steaming performance combined with energy and water savings.





AIR.Maxi™

Conducts, unites, transforms.

Uses multiple high flow reversing fans to deliver uniform results and short cooking times. 4 speeds of the fan allow to perform any kind of cooking.



EFFICIENT.Power

Power and efficiency.

Quick temperature rise, high-precision temperature control, ENERGY STAR certified efficiency at the top of the category in combi, dry air and steam modes.



PRESSURE.Steam

Even more steam when you need it.

Increases steam temperature and its saturation to effectively allow you to further reduce steaming time and its intensity.



Data will be always accessible by smartphone or PC

An ecosystem to be discovered



Create and share

Your recipes in all your ovens.


Create your recipe book and synchronize it with all your ovens with just one click, keeping all your kitchens or stores up to date. You may create it directly from one of your ovens or from your PC.



Understand

Monitor and improve your performance.

DDC.Stats gives you full control over energy, water, and detergent consumption and over your cooking times and oven usage. Compare the performances, detect anomalies and get useful information to improve the efficiency of the ovens in your network.



360° Assistance

Let DDC.Coach train you.

DDC.Coach is a digital assistant that provides you with advice based on the actual use of your ovens. This allows you to take full advantage of their potential. Capitalize the abilities of your ovens and maximize the return on your investment!



Outdo yourself



Set

Easy, fast and crystal-clear.

Set any cooking process in a rapid and intuitive way for each of the available cooking steps.
All the settings you need in a single screen, up to 9 cooking steps. Limitless creativity.



Programs

384 Programs memory.

All your recipes are unique and repeatable thanks to the personal library that allows you to store and organize your cooking programs. CHEFTOP MIND.Maps™ PLUS can store 384 programs organized in 16 different groups.



CHEFUNOX

Choose what you want to cook and the desired result.

Trust and allow your oven to set the cooking parameters for you. Select the type of cooking, the food you want to cook and the degree of cooking you want.

Start. Nothing else.



MIND.Maps™

Do not set a cooking process, draw it.

Add your touch of brilliance. Draw even the most elaborate cooking with a few hand gestures on the display. Design your most complex cooking processes with maximum creative freedom. You imagine, the oven executes.



MULTI.Time

Up to 10 simultaneous cooking.

Ordered and organized. Manage up to 10 cooking processes at the same time with the MULTI.Time function and have the maximum control with a quick glance.



MISE.EN.PLACE

Beyond kitchen organization.

Suggests the correct order and timing for inserting trays inside the cooking chamber to have all the meals ready at the same time. Being punctual has never been so simple.



Express your creativity

CHEFTOP MIND.Map™ PLUS
COUNTERTOP is the professional oven
that can help make your visions a reality.
Cook every dish with the certainty
of the maximum result.
Every single time.

When combined with its accessories, your CHEFTOP MIND.Maps™ PLUS COUNTERTOP becomes a powerfull cooking tool that replaces multiple pieces of traditional equipment in your kitchen.

Grilling, frying, roasting, browning, smoking, steaming and much more. Automatic cooking processes and intelligent functions give the guarantee of always impeccable results.

up to **45**%

Less energy compared to a traditional grill

up to 80%

Less water compared to cooking in boiling water

Up to **90%**

Less oil compared to a fryer

Repeatable and consistent

Versatilty

Simultaneous cooking of multiple food items

Saving

Energy, time, ingredients and labor

Intelligence

Focus on your customers, the oven will do the rest

71

Increase your Possibilities





Oven + Neutral cabinet

Recommended solution The solution to optimize your kitchen layout units is and always have everything versatili in the right place. and energy and energy the solution of the



Oven + Oven

The solution with two stacked units is ideal for maximum versatility, flexibility and energy savings.



Oven + Slowtop

Ideal solution for butchers and deli shops, that combine intense cooking processes with gentle ones, such as holding and night-time cooking.

Art. XEVSC-0711-CRM Discover more at page 36 Technical details at page 73




Oven + Stand


The multifunctional support ideal for storing trays safely and place your oven at the perfect height to work.

Art. XWVRC-0711-UH
Technical details at page 74

Ventless Hood

Within the ventless hood, a self-cleaning filter **removes odours** from the fumes that are expelled through the oven chimney, without the need for maintenance or cleaning work on the filter. It allows you to install your oven even far from a ceiling canopy and force exhausts into it or outside.*








With activated carbon filter

Ventless Hood

Features the self-cleaning filter plus an activated carbon filter that further removes smells, even those that are sucked when the door is opened at the end of a cooking cycle. It allows you to install your oven far from a ceiling canopy or without it.*




^{*}Subject to inspection and approval by organisations and to local regulations.

Slow cooking and Holding

SLOWTOP

Low temperature cooking, slow braising, slow roasts, sous vide cooking, regeneration, holding, night cooking. Just some of the countless cooking techniques that SLOWTOP Cook'n'Hold offers. Thanks to its single-phase electrical power supply, it ensures unbeatable performances with minimal consumption and is the perfect partner for your oven.







Smoke. Cook. Amaze.

HYPER.Smoker

HYPER.Smoker transforms your oven into a smoker. You can use shavings of natural wood and choose from among 10 different smoking intensities directly from the control panel of the oven to amaze even the most demanding of palates.


Moreover you will smoke food using the energy produced in the cooking chamber without further costs and external electrical power supply.




Cooking fat collection system

SMART.Drain is the ideal solution for supermarkets, deli shops, production kitchens and steak houses that carry out cookings with large amount of fat.

Its functioning is based on a special two-way valve that collects any fat and cooking liquids created during the cooking program and drains them into a tank.




Liquid to tank (fat collection)



Liquid to drainage (washing and low-fat cooking)





Load and unload food safely and simply.

Art. XWVYC-0011 + XWVBC-0611 Technical details at page 74



Closed solution Cabinet + SMART.Drain

The tank is hidden within the cabinet.


Art. XWVEC-0811 + XUC020 Technical details at page 74



For each one of your cooking or washing programs, your oven automatically checks the correct position of the valve to avoid any risk of the drain being blocked by condensed fat.



The special POLLO.BLACK trays convey the fats towards the drain, reducing by up to 80% the amount of fat deposits that accumulate in the cooking chamber compared to normal grills.



Open solution Stand + SMART.Drain

The tank is in the most easily accessible location.

Art. XWVRC-0011-H + XUC020 Technical details at page 74



Double stack solutionOven + Oven + SMART.Drain

Double-stack ovens with SMART.Drain for lower unit.

Art. XWVRC-0011-L-PO + XWVYC-0011-L-PO + XUC020 Technical details at page 75

39



Grilling, frying, roasting, browning, smoking, steaming and much more. Versatility cooking that reaches its maximum expression in multi-chamber solutions that give free space for ever-changing menus.

24%

Less footprint compared to a non compact oven

72 kg Maximum capacity 2 x 2 combination *

530 mm

One of the **narrowest** ovens in its category

*Data refers to a 4 XECC-0513-EPRM ovens combination.



Reduced footprint

Get the most from vertical spaces

Flexibility

Stack 2 units to enable different cookings at the same time

Savings


A smaller cooking chamber requires less energy


Intelligence


Focus on your customers, the oven will do the rest

Configure your CHEFTOP MIND.Maps™ PLUS oven online.









The benefits of 4 cooking chambers in the footprint of 2

A restaurant is made of variable rhythms; turn on just the ovens you need, reducing energy consumption, or turn all of them on for maximum flexibility.









Oven + Stand

The multifunctional support ideal for storing trays safely and place your oven at the appropriate working height.

Art. XWCRC-0613-H Technical details at page 74

44



Limitless performances

CHEFTOP MIND.Maps™ PLUS BIG is the trolley combi oven with the highest productivity and reliability.

CHEFTOP MIND.Maps™ PLUS BIG uses the latest technologies to give concrete support

Steaming, grilling, regeneration of dishes and much more: maximum performance and perfectly optimized full loads.

Quality and cooking uniformity are always guaranteed with any foodload, and the repeatability of cooking is independent by its user.

180 kg capacity

300 °C

Maximum cooking temperature

4.5 min

Preheating time from 30 °C to 300 °C



Productivity

High volumes, zero stops

Uniformity

6 close-pitch reversing fans

Repeatability

Standardized results, consistency

Intelligence

Focus on your customers, the oven will do the rest

What lies behind?

Built to last

Space-frame chassis

The CHEFTOP MIND.Maps™ PLUS BIG features a space-frame chassis made of 50 mm thick stainless steel tubes. The whole structure is extremely rigid and the door is fixed to the frame to guarantee its perfect closure even after years of work.





Door with push-to-close function

Tested for over 1 million cycles, the **push-to-close** function of the door **reduces** the operator **efforts** during work. The door strength and security are guaranteed by **70 mm** thickness.



316L Stainless steel

The cooking chamber and the trolley are made of 316L stainless steel, which guarantees resistance over time to any type of corrosion. PURE-RO water treatment for chloride elimination is not necessary, the PURE treatment is required for the removal of limestone from water.



Symmetric Perfection

6 close-pitch reversing fans

High-performance heating elements

Electric ovens feature unique straight-line heating elements with high power intensity that produce heat quickly, minimizing temperature recovery times and optimizing air flows.

Pressure gas burners

Unox gas ovens are the only ones in the world with high performance blown burners and symmetrical straight heat exchangers. High power minimizes temperature recovery times and air flows.

Maximum Yield,

52

minimum effort





QUICK.Load

20 GN2/1 or GN 1/1 trolleys simplify cooking and transportation of large food quantities.

Art. XEVTL-2021 Technical details at page 75



QUICK.Plate


A plate trolley to regenerate and transport up to 102 plates. We can customize the trolley based on your specific needs.

Art. XEVTL-102P Technical details at page 75



Holding cover keeps the regenerated plates at the right temperature before serving.

Art. XUC031 Technical details at page 75



Cooking Essentials Trays

Unlimited cooking modes

Cooking Essentials


SUPER.GRILL

Non-stick aluminium pan plus grill with QUICK.Load system.



Ideal for

Grilled meat; Grilled fish; Grilled vegetables.



Advantages

Perfect for full loads. Grilling times up to 30% less than traditional grill.

Art. TG970 GN 1/1 - Only for COUNTERTOP and BIG models.

FAKIRO.GRILL

Non-stick aluminium pan. Two cooking surfaces: ribbed for grilling, flat for different types of cooking.



Ideal for

Grilled meat and fish; Grilled vegetables; Pizza and Focaccia.

Advantages


Grilling times up to 30% less than traditional grilling equipment or fry tops; Grilling different types of food at the same time.

Art. TG870 GN 1/1 - Art. TG770 GN 2/3

BACON.40

56

Stainless steel grid with fat-collection pan.



Ideal for

Bacon; Roast meat; Spatchcock or Split chicken.

Advantages

Up to 18 crispy bacon slices in less than 5 mins; The fat collection tray is coated with non-stick material for easy cleaning.

Art. TG945 GN 1/1

GRILL

Non-stick alluminum grilling pan.

Does not require to be preheated before use.



Ideal for

Grilled fish; Grilled vegetables.


Advantages

Does not require to be preheated into the oven to achieve outstanding squared marks on food; Perfect for full loads.

Art. TG885 GN 1/1 - Art. TG720 GN 2/3

POLLO.GRILL

Stainless steel grid with fat-collection tray.



Ideal for

Spatchcock or Split chicken; Roast meats; Roast fish.


Advantages

Fat collection tray that keeps the oven clean; Works best in combination with SMART.DRAIN fat collection kit.

Art. **GRP840** GN 1/1

POLLO.BLACK

8 chicken non-stick stainless steel grid.



Ideal for

Whole chickens and birds.

Advantages

Non-stick coating to facilitate bird removal; Works best in combination with SMART.DRAIN fat collection kit.

Art. GRP825 GN 1/1 - Art. GRP715 GN 2/3

Cooking Essentials

BLACK.40

40 mm deep, non-stick aluminium pan.



Ideal for

Braisina: Roasting; Steaming rice.


Advantages

Waste-free braising, roasting and rice steaming; The tray is coated with high-resistance, non-stick material for easy food removal and cleaning.

Art. **TG900** GN 1/1

BLACK.FRY

Non-stick stainless steel frying pan.



Ideal for

Pre-fried frozen food. French fries.

Advantages

Perforated bottom and sides; Ribbed bottom to improve air circulation and uniformity on french fries.

Art. **GRP816** GN 1/1

POTATO.FRY

French fries frying pan.



Ideal for

French fries

Advantages

Perforated bottom and sides; Ribbed bottom to improve air circulation on french fries.

Art. GRP817 GN 1/1

BLACK.20

20mm non-stick stainless steel pan.



Ideal for

Braisina: Roasting; Steaming rice.

Advantages

Waste-free braising, roasting and rice steaming; The tray is coated with high-resistance, nonstick material for easy food removal and cleaning.

Art. **TG895** GN 1/1

CLEAN.FRY

Non-stick frying grid with fat collection tray.



Ideal for

Frozen pre-fried foods.

Advantages

Frying pan with non-stick coated fat-collection pan for easy food removal and cleaning.

Art. **GRP820** GN 1/1

PAN.FRY

Non-stick stainless steel frying pan.



Ideal for

Nuggets; Breaded veggies; Fish and meat sticks.

Art. TG905 GN 1/1 - Art. TG735 GN 2/3

Advantages

Less oil to be used for cooking; Identical frying results on each piece of food.

Cooking Essentials

EGGS 6 x 2

Non-stick alluminum pan for 6 double-egg portions.



Ideal for

Fried eggs; Sunny side up eggs; Omelette.


Advantages

Huge quantities of eggs cooked in less than 4 minutes; Easy to clean and made to last.

Art. **TG935** GN 1/1

STEAM

Stainless steel steaming pan.



Ideal for

Steaming; Sous-Vide Cooking.

Advantages

Perforated bottom and sides to improve steam circulation on food.

Art. GRP815 GN 1/1 - Art. GRP710 GN 2/3

FORO.BLACK

Non-stick perforated alluminum tray.



Ideal for

Croissant; Frozen bread, Pastry.

Advantages

Non-stick coating; Ultra-low sides to improve air circulation on each piece.

Art. TG890 GN 1/1 - Art. TG730 GN 2/3

EGGS8x1

8 single-eggs non-stick alluminum pan.



Ideal for

Fried eggs; Sunny side up eggs and omelette; Poached egg.

Advantages

Huge quantities of fried or poached eggs in less than 4 minutes; Easy to clean and made to last.

Art. TG936 GN 1/1 - Art. TG937 GN 2/3

FORO.STEEL20

Perforated stainless steel pan.



Ideal for

Steaming; Sous-Vide Cooking.

Advantages

Perforated bottom to improve steam circulation on food.

Art. TG810 GN 1/1 - Art. TG710 GN 2/3

FORO.SILICO

Silicon-coated perforated alluminum pan.




Ideal for

Croissant; Frozen bread; Pastry.

Advantages

Perforated silicon-coated alluminum pan; High-temperature resistant; Ideal to be used with sugar coated pastries.

Art. TG975 GN 1/1



Art. XHC002 Technical details at page 75

UNOX.PURE-RO

Not required for CHEFTOP MIND.Maps™ BIG ovens.

UNOX.Pure



PURE-RO PURE

The UNOX.Pure filter Reverse osmosis system that complete reduces the carbonate eliminates Chlorides hardness in water, and limescale from thus avoiding scale deposits inside the oven water. cooking chamber.

> Art. XHC003 Technical details at page 75

REFILL

Replacement cartridge for UNOX.Pure.

Art. XHC004 Technical details at page 75



PLUS

Cleaning and rinse agents to combine life for your oven.

Art. DB1015 Technical details at page 75



ECO

Eco formula for daily cleaning and the utmost respect for the environment. Ideal for mild level of dirt.

Technical details at page 75



ULTRA

Ultra strong detergent for high level of dirt, recommended for poultry and meat fats.

Art. DB1050* Technical details at page 75

*Check the product availability for your Country.

maximum cleanliness with minimum

consumption and long

Art. DB1018

64


65

Discover all the ovens and their combined accessories

The most intelligent oven in the world

68

CHEFTOP MIND.Maps™ PLUS **COUNTERTOP**



750 x 783 x 538 mm wxdxh

XEVC - 0311 - EPRM

capacity 3 GN 1/1

frequency 50/60 Hz

power 5 kW

weight 56 kg

COMPACT

535 x 662 x 649 mm


wxdxh

weight 57 kg

pitch 67 mm

voltage 230 V ~ 1N

400 V ~ 3N



9 XEVC - 0511 - EPRM

wxdxh

capacity 5 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 400 V ~ 3N power 9,3 kW weight 67 kg

♦ XEVC - 0511 - GPRM

capacity 5 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 230 V ~ 1N power 0,6 kW max. gas G20, G25, rated power G25.1, G30, G31: 15 kW

weight 83 kg

pitch 67 mm frequency 50/60 Hz power 1kW max. gas G20, G25,

750 x 783 x 843 mm

wxdxh

capacity 7 GN 1/1

frequency 50/60 Hz

power 11,7 kW

weight 85 kg

★ XEVC - 0711 - GPRM

pitch 67 mm

voltage 400 V ~ 3N

capacity 7 GN 1/1 capacity 10 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 230 V ~ 1N voltage 230 V ~ 1N power 1kW max. gas G20, G25.1, G30, rated power G25.1, G30, G31: rated power G31: 22 kW/ 19 kW weight 104 kg weight 116 kg

Y XEVC - 0711 - EPRM
Y XEVC - 1011 - EPRM

750 x 783 x 1010 mm

wxdxh

capacity 10 GN 1/1

pitch 67 mm

voltage 400 V ~ 3N

G25: 21 kW

power 18,5 kW

weight 98 kg

♠ XEVC - 1011 - GPRM

frequency 50/60 Hz

535 x 862 x 649 mm wxdxh

XECC - 0523 - EPRM XECC - 0513 - EPRM


> capacity 5 GN 2/3 capacity 5 GN 1/1 pitch 67 mm pitch 67 mm frequency 50/60 Hz frequency 50/60 Hz voltage 230 V ~ 1N voltage 400 V ~ 3N 400 V ~ 3N power 9,2 kW power 5,2 kW weight 68 kg



capacity 10 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 400 V ~ 3N power 18,5 kW

weight 94 kg





860 x 1145 x 1163 mm wxdxh

XEVC - 0621 - EPRM XEVC - 1021 - EPRM

capacity 6 GN 2/1 pitch 77 mm frequency 50/60 Hz voltage 400 V ~ 3N power 20,5 kW weight 119 kg

860 x 1145 x 843 mm

wxdxh

♠ XEVC - 0621 - GPRM ♠ XEVC - 1021 - GPRM

capacity 6 GN 2/1 pitch 77 mm frequency 50/60 Hz voltage 230 V ~ 1N power 1kW max. gas G20, G25.1, G31: rated power 24 kW/G25: 23 kW/G30: 25 kW weight 155 kg

capacity 10 GN 2/1 pitch 77 mm frequency 50/60 Hz voltage 230 V ~ 1N power 1,4 kW max. gas G20, G25, G25.1: rated power 33 kW/G30, G31: 35 kW weight 183 kg

capacity 10 GN 2/1


frequency 50/60 Hz

weight 170 kg

pitch 77 mm

voltage 400 V ~ 3N

power 30,8 kW



892 x 1018 x 1875 mm wxdxh

wxdxh XEVL - 2021 - YPRS

892 x 1257 x 1875 mm

capacity 20 GN 2/1

pitch 67 mm

voltage 220-240V

power 65 kW

weight 339 kg

weight 356 kg

3PH+PF

frequency 50 Hz

XEVL - 2011 - YPRS capacity 20 GN 1/1 capacity 20 GN 2/1 pitch 67 mm pitch 67 mm frequency 50/60 Hz frequency 50 Hz voltage 380-415 V voltage 380-415 V 3PH+N+PE 3DH+N+DF power 38,5 kW power 65 kW weight 292 kg weight 339 kg

XEVL - 2011 - DPRS XEVL - 2021 - DPRS

capacity 20 GN 1/1 pitch 67 mm frequency 50/60 Hz voltage 220-240V 3PH+PF power 38,5 kW weight 292 kg

weight 309 kg

♦ XEVL - 2011 - GPRS ♠ XEVL - 2021 - GPRS

capacity 20 GN 1/1 capacity 20 GN 2/1 pitch 67 mm pitch 67 mm frequency 50/60 Hz frequency 50/60 Hz voltage 220-240 V voltage 220-240V 1PH+N+PE power 2,8 kW power 2,5 kW max. gas 48 kW max. gas 90 kW rated power rated power

All ovens have an optional model with a left to right door opening - item code example XEVC-1011-EPLM. One shelf of the GN 2/1 ovens can contain up to 2 GN 1/1 trays. All BIG ovens have the trolley included.

















69

Technical details

















Features	• Standard	n	COUNTE
reatures	 Optional 	<u>O</u>	0 0
	 Not available 	4 6	4 6
JNOX INTELLIGENT PERFORMANCE			
ADAPTIVE.Cooking $^{\text{\tiny{M}}}$: automatically regulates the cooking p		• •	•
CLIMALUX [™] : total control of the humidity in the cooking chase SMART. Preheating: sets automatically the temperature and		• •	•
AUTO.Soft: manages the heat rise to make it more delicate	тие аагалоп от тте ртепеалид	• •	•
SENSE.Klean: estimates how dirty the oven is and suggests	appropriate automatic cleaning	• •	• (
JNOX INTENSIVE COOKING			
DRY.Maxi™: rapidly extracts the humidity from the cooking of STEAM.Maxi™: produces saturated steam starting from 35 °C		• •	•
AIR.Maxi [™] : multiple fans with reverse gear and 4 speed setti		• •	•
EFFICIENT.Power: ENERGY STAR certified energy efficiency		• •	• •
PRESSURE.Steam: increases the saturation and temperature PATA DRIVEN COOKING	re of steam	• •	• (
Wi-Fi connection		• •	•
Ethernet connection		0 0	0 (
ddc.unox.com: control the oven usage in real time, create an		• •	• •
DDC.Stats: analyse, compare and improve the user and con DDC.App: monitor all connected ovens in real time from yo		• •	
DDC.Coach: analyses the way in which you use the oven and		• •	•
MANUAL COOKING			
Convection cooking from 30 °C to 260 °C Convection cooking from 30 °C to 300 °C		• •	-
Mixed convection + steam cooking starting from 35 °C with	STEAM.Maxi™ from 30% to 90%	• •	•
Convection + humidity cooking starting from 48 °C with ST	EAM.Maxi™ from 10% to 20%	• •	• (
Saturated steam cooking starting from 48 °C to 130 °C with		• •	• •
Convection cooking + forced humidity extraction from 30 °C Cooking with core probe and DELTA T function	with DRY.Maxi [®] from 10% to 100%	• •	•
Single-point core probe			
MULTI.Point core probe - excluding models XEVC-0311-EPRI	M / XECC-0523-EPRM	• •	• (
SOUS-VIDE core probe		0 0	0 (
ADVANCED AND AUTOMATIC COOKING MIND.Maps™: draw the cooking processes directly on the di	colov		
PROGRAMMES: up to 384 programmes that can be saved w		• •	•
CHEFUNOX: choose something to cook from the library and		• •	• (
MULTI.Time: manages up to 10 cooking processes at the sar		• •	•
MISE.EN.PLACE: synchronises the insertion of pans so that a AUTOMATIC CLEANING	all the disnes are ready at the same time		<u> </u>
Rotor.KLEAN™: 4 automatic cleaning programmes		• •	•
Rotor.KLEAN™: water and detergent level detector – excludi	ng models XEVC-0311-EPRM / XECC-0523-EPRM	• •	•
Integrated DET&Rinse™ detergent container		• •	• •
AUXILIARY FUNCTIONS			
Preheating up to 300 °C can be set by the user for each pro Preheating up to 260 °C can be set by the user for each pro		• •	•
Remaining cooking time display	gramme	• •	•
Holding cooking mode "HOLD" and continuous functioning	g "INF"	• •	• (
Display of the nominal value of the cooking parameters		• •	•
Temperature units in °C or °F PERFORMANCE AND SAFETY		• •	<u> </u>
Protek.SAFE™: automatic fan stop on opening the door		• •	•
Protek.SAFE™: power modulation of electricity or gas depen	ding on actual need	• •	• (
Spido.GAS™: high-performance straight heat exchanger pip			- (
Spido.GAS [™] : high-performance pressure burners and symm	netrical exchangers	- •	
ECHNICAL DETAILS Cooking chamber in high-resistance AISI 304 stainless stee	with rounded edges		•
Moulded cooking chamber in AISI 316 L marine stainless stee		• •	
Cooking chamber with C-shaped rack rails		• •	• (
Cooking chamber lighting through LED lights embedded i	n the door	• •	
9.5" touchscreen capacitive control panel 7" touchscreen resistive control panel			
Control panel with water resistance certification - IPX5		• •	• (
Drip collection system integrated in the door and functiona	ll even with the door open	• •	•
Heavy-duty structure with the use of innovative materials		• •	• •
4-speed multiple fan system and high-performance circula 5 motors with multiple fan system with reverse gear and hi			
Door hinges made of high-resistance, self-lubricating techr		• •	• (
Door stop positions 120° - 180°		• •	
Door stop positions 60° - 120° - 180°			0 0
Reversible door in use even after installation Door thickness 70 mm		• •	0 0
Detachable internal glass door for ease of cleaning		• •	•
Two-stage safety door opening / closure		• •	0 (
Proximity door contact switch Self-diagnosis system to detect problems or breakdowns		• •	•
Self-Diagraphics System to detect broblems of breakdowns			

Accessories






SLOWTOP



SLOWTOP


for GN1/1 COUNTERTOP ovens 750 x 792 x 961 mm - w x d x h Art. XEVSC-0711-CRM

HOODS



HOOD WITH ACTIVATED CARBON FILTER

for 10 & 6 GN 2/1 COUNTERTOP ovens 868 x 1323 x 366 mm - w x d x h Art. XEVHC-CF21



HOOD WITH STEAM CONDENSER

for 10 & 6 GN 2/1 COUNTERTOP ovens 868 x 1323 x 240 mm - w x d x h Art. XEVHC-HC21

for 20 GN 1/1 BIG ovens 892 x 1131 x 342 mm - w x d x h Art. XEAHL-HCFL



HOOD WITH ACTIVATED CARBON FILTER

for GN 1/1 COUNTERTOP ovens 750 x 956 x 366 mm - w x d x h Art. XEVHC-CF11



HOOD WITH STEAM CONDENSER

for GN 1/1 COUNTERTOP ovens 750 x 956 x 240 mm - w x d x h Art. XEVHC-HC11



HOOD WITH ACTIVATED CARBON FILTER

for GN 1/1 COMPACT ovens 535 x 1018 x 366 mm - w x d x h Art. XECHC-CF13

for GN 2/3 COMPACT ovens 535 x 823 x 366 mm - w x d x h Art. XECHC-CF23



HOOD WITH STEAM CONDENSER

for GN 1/1 COMPACT ovens 535 x 1100 x 240 mm - w x d x h Art. XECHC-HC13

for GN 2/3 COMPACT ovens 535 x 900 x 240 mm - w x d x h Art. XECHC-HC23

Self-diagnosis system to detect problems or breakdowns


Safety temperature switch



HYPER.SMOKER

for CHEFTOP MIND.Maps™ PLUS ovens - Check the compatibility with models that have been produced before 2016 Art. XUC090

STAND



ULTRA HIGH STAND

for GN 1/1 COUNTERTOP ovens 732 x 641 x 888 mm - w x d x h Art. XWVRC-0711-UH


FLOOR POSITIONING STAND



*Mandatory for oven positioning on the floor for GN 2/1 COUNTERTOP ovens 842 x 891 x 113 mm - w x d x h

Art. XECRC-0013-F

HIGH STAND



for GN 2/1 COUNTERTOP ovens 842 x 864 x 692 mm - w x d x h

Art. XWVRC-0721-H

for GN 1/1 COUNTERTOP ovens 732 x 546 x 752 mm - w x d x h Art. XWVRC-07 11-H

for GN 1/1 COMPACT ovens 518 x 779 x 744 mm - w x d x h Art. XWCRC-0613-H

for GN 2/3 COMPACT ovens 518 x 585 x 744 mm - w x d x h Art. XWCRC-0623-H



INTERMEDIATE STAND

for GN 1/1 COUNTERTOP ovens 732 x 546 x 462 mm - w x d x h Art. XWVRC-0011-M

LOW STAND



for GN 1/1 COUNTERTOP ovens 732 x 546 x 305 mm - w x d x h Art. XWVRC-0011-L

for GN 1/1 COMPACT ovens 518 x 684 x 305 mm - w x d x h Art. XWCRC-0013-L

for GN 2/3 COMPACT ovens 518 x 484 x 305 mm - w x d x h Art. XWCRC-0023-L

FLOOR POSITIONING STAND


Art. XWVRC-0021-F

for GN 1/1 COUNTERTOP ovens 732 x 546 x 113 mm - w x d x h

Art. XWVRC-0011-F

for GN 1/1 COMPACT ovens 732 x 479 x 113 mm - w x d x h

BASKETS AND TROLLEYS



BASKET

for 10 GN 2/1 COUNTERTOP ovens 622 x 674 x 865 mm - w x d x h Art. XWVBC-1021

for 10 GN 1/1 COUNTERTOP ovens 568 x 361 x 713 mm - w x d x h Art. XWVBC-0911



BASKET

for 6 GN 2/1 COUNTERTOP ovens 622 x 674 x 545 mm - w x d x h Art. XWVBC-0621

for 7 GN 1/1 COUNTERTOP ovens 568 x 361 x 546 mm - w x d x h Art. XWVBC-0611



TROLLEY

for GN 2/1 baskets 647 x 855 x 923 mm - w x d x h Art. XWVYC-0021

for GN 1/1 baskets 605 x 700 x 923 mm - w x d x h Art. XWVYC-0011


WHEELS KIT



WHEELS KIT

2 wheels with brake - 2 wheels without brake - safety chains


QUICK.LOAD & QUICK.PLATE



QUICK.LOAD

for 20 GN 2/1 BIG ovens 776 x 851 x 1741 mm - w x d x h Art. XEVTL-2021

for 20 GN 1/1 BIG ovens 776 x 681 x 1741 mm - w x d x h Art. XEVTL-2011




QUICK.PLATE

for 20 GN 2/1 BIG ovens - 102 plates 776 x 851 x 1709 mm - w x d x h Art. XEVTL-102P

for 20 GN 1/1 BIG ovens - 51 plates 776 x 681 x 1709 mm - w x d x h Art. XEVTL-051P

SMART.DRAIN




HOLDING.COVER

thermocover

for QUICK.LOAD and QUICK.PLATE GN 2/1 Art. XUC031

for OUICK.LOAD and QUICK.PLATE GN 1/1 Art. XUC030



SMART.DRAIN

cooking fat and liquid collection system

for neutral cabinet and high open stand Art. XUC020

*for all the solutions see page 39



STAND

for GN 1/1 COUNTERTOP ovens 732 x 546 x 305 mm - w x d x h Art. XWVRC-0011-L-PO

TROLLEY



for GN 1/1 COUNTERTOP ovens 629 x 708 x 106 mm - w x d x h Art. XWVYC-0011-L-PO

CARE AND MAINTENANCE



UNOX.PURE-RO

reverse osmosis filtering system Art. XHC002



UNOX.PURE

water treatment with resin filters Art. XHC003

+ REFILL FILTER CARTRIDGE Art. XHC004




OVEN CLEANING PRODUCTS

DET&RINSE™ PLUS DET&RINSE™ ECO DET&RINSE™ ULTRA

one box contains 10 x 1 lt tanks Art. DB1015 Art. DB1018 Art. DB1050

CONNECTIVITY



ACCESSORIES FOR THE OVENS CONNECTION

Ethernet connection kit Art. XEC001

Art. XUC012



Technical Assistance

Installation

The right partner next to your kitchen



A global Service network

A perfect installation is essential to guarantee the correct functioning of your MIND. Maps™ PLUS oven and eliminate interruptions in your daily work. We focus on you, so you can focus on what matters to you. Find the authorized Service Centers nearest to your kitchen.

Maintenance

Don't stop your kitchen



The quickest on site Service

When connected to the internet, your oven communicates directly with our Service Team, so we can intervene as soon or even before maintenance is required. Keeping in optimal condition your oven is Unox' priority: our technicians are at your disposal to provide you the best on-line and on-site support.

LONG.Life and LONG.Life4 Warranty

A promise of reliablity



A choice made to last

Connect your CHEFTOP MIND.Maps™ PLUS to the internet and activate the UNOX LONG.Life4 extended warranty on our website unox.com. Up to 4 years / 10.000 working hours, whichever occurs first, on parts and 2 years on labor.*

> *Check the Guarantee Conditions for your country on our website unox.com



UNOX in the world

Tel: +39 049 8657511

UNOX S.p.a
Via Majorana, 22
35010 - Cadoneghe (PD) - Italy
E-mail: info@unox.com

IT - ITALIA UNOX S.p.a

EUROPE

E-mail: info@unox.it Tel: +39 049 8657511

DE - DEUTSCHLAND UNOX DEUTSCHLAND GMBH

E-mail: info.de@unox.com Tel: +49 2951 98760

FR - FRANCE, BELGIUM & LUXEMBOURG UNOX FRANCE s.a.s.

E-mail: info.fr@unox.com Tel: +33 4 78 17 35 39

PT - PORTUGAL UNOX PORTUGAL

E-mail: info.pt@unox.com Tel: +351 918 228 787

ES - ESPAÑA UNOX PROFESIONAL ESPAÑA S.L.

E-mail: info.es@unox.com Tel: +34 900 82 89 43

GB - UNITED KINGDOM UNOX UK Ltd.

E-mail: info@unoxuk.com Tel: +44 1252 851 522

IE - IRELAND UNOX IRELAND

E-mail: info.ie@unox.com Tel. +353 (0) 87 32 23 218

SC - SCANDINAVIAN COUNTRIES UNOX SCANDINAVIA AB

E-mail: info.se@unox.com Tel: +46(0)790 75 63 64

AT - ÖSTERREICH UNOX ÖSTERREICH GMBH

E-mail: info.de@unox.com Tel. +43 1206 092 068

RU - РОССИЯ, ПРИБАЛТИКА И СТРАНЫ СНГ UNOX РОССИЯ

E-mail: info.ru@unox.com Tel: +7 (499) 702 - 00 - 14

CZ - ČESKÁ REPUBLIKA UNOX DISTRIBUTION s.r.o.

E-mail: info.cz@unox.com Tel: +420 241 940 000

HR - HRVATSKA UNOX CROATIA

E-mail: narudzbe@unox.com Tel: +39 049 86 57 538

BG - БЪЛГАРИЯ UNOX BULGARIA

E-mail: info.bg@unox.com Tel: +359 2 419 05 00

PL - POLSKA Unox Polska Sp.zo.o.

E-mail: info.pl@unox.com Tel: +48 665 232 000

TR - TÜRKİYE - UNOX TURKEY Profesyonel mutfak ekipmanlari endüstri ve ticaret limited şirketi

E-mail: info.tr@unox.com Tel: +90 530 176 62 03

NL - NETHERLANDS UNOX NETHERLANDS B.V.

E-mail: info.nl@unox.com Tel: +31 6 27 21 14 10

US - U.S.A. & CANADA UNOX Inc.

AMERICA

E-mail: info.usa@unox.com Tel: +1 800 489 8669

CO - COLOMBIA UNOX COLOMBIA

E-mail: info.co@unox.com Tel: +57 350 65 88 204

BR - UNOX BRASIL SERVICOS LTDA.

E-mail: info.br@unox.com Tel: +55 11 98717-8201

AR - ARGENTINA UNOX ARGENTINA

E-mail: info.ar@unox.com Tel: +54 911 37 58 43 46

MX - MEXICO UNOX MEXICO, S. DE R.L. DE C.V.

E-mail: info.mx@unox.com Tel: +52 55 8116-7720

ZA - SOUTH AFRICA UNOX SOUTH AFRICA

ASIA, OCEANIA & AFRICA

E-mail: info.sa@unox.com Tel: +27 845 05 52 35

AE - U.A.E. UNOX MIDDLE EAST DMCC

E-mail: info.uae@unox.com Tel: +971 4 554 2146

UZ - UZBEKISTAN UNOX PRO LLC

E-mail: info.uz@unox.com Tel: +998 90 370 90 10

CN - 中华人民共和国 UNOX TRADING (SHANGHAI) Ltd. CO.

电子邮件: info.china@unox.com 电话: +86 21 56907696

MY - MALAYSIA & SINGAPORE UNOX (ASIA) SDN. BHD

E-mail: info.asia@unox.com Tel: +603-58797700

PH - PHILIPPINES UNOX PHILIPPINES

E-mail: info.asia@unox.com Tel: +63 9173108084

ID - INDONESIA UNOX INDONESIA

E-mail: info.asia@unox.com Tel: +62 81908852999

KR - 대한민국 UNOX KOREA CO. Ltd.

이메일 : info.asia@unox.com 전화 : +82 2 69410351

TW - TAIWAN, HONG KONG & MACAU UNOX TAIWAN

E-mail: info.tw@unox.com Tel: +886 928 250 536

AC - OTHER ASIAN COUNTRIES UNOX (ASIA) SDN. BHD

E-mail: info.asia@unox.com Tel: +603-58797700

AU - AUSTRALIA UNOX AUSTRALIA PTY Ltd.

E-mail: info@unoxaustralia.com.au Tel: +61 3 9876 0803

NZ - NEW ZEALAND UNOX NEW ZEALAND Ltd.

E-mail: info@unox.co.nz Tel: +64 (0) 800 76 0803

79



unox.com







